

ACID Properties of a Transaction (Review)

- **A**tomicity — a transaction is either performed in its entirety or not at all; it appears to an outside observer as a single, instantaneous, indivisible action
- **C**onsistency — a transaction must take the database from one consistent state to another; invariants that should always hold will hold after the transaction
- **I**solated (Serializable) — if two transactions run at the same time, the result must look as if they ran sequentially in some arbitrary order; a transaction's updates must not be visible to other transactions until it commits
- **D**urable — once a transaction commits, its result is permanent (must never be lost)

1

Spring 2000, Lecture 19

Implementing Transactions, Recovery (Review)

- Record changes in a **writeahead log**
 - Record in the writeahead log ("ahead" of the change)
 - Which transaction is making the change
 - Which file and block is being changed
 - Old and new values
 - *Immediate* update:
 - Operations record in log as described above, then update the actual data
 - If transaction aborts, must use log to *rollback* — restore original state
 - *Deferred* update:
 - Operations update local workspace
 - Commit writes record to log as described above, then updates the actual data
 - If transaction aborts, data remains unchanged
- Log can also be used to recover from a crash (compare log to actual values to determine state at crash)

2

Spring 2000, Lecture 19

Need for Concurrency Control (Review)

- Lost update problem:

<u>Transaction T</u>		<u>Transaction U</u>	
bal=read(A)	\$100		
write(A,bal-4)	\$96		
		bal=read(C)	\$300
		write(C,bal-3)	\$297
bal=read(B)	\$200		
		bal=read(B)	\$200
		write(B,bal+3)	\$203
write(B,bal+4)	\$204		

- Inconsistent retrievals problem:

<u>Transaction T</u>		<u>Transaction U (part)</u>	
bal=read(A)	\$200		
write(A,bal-100)	\$100		
		bal=read(A)	\$100
		bal+=read(B)	\$300
bal=read(B)	\$200		
write(B,bal+100)	\$300		

3

Spring 2000, Lecture 19

Why do These Problems Occur?

- *Conflicts* between transactions cause this inconsistency due to the order in which the operations are executed
 - If one transaction reads a data object, and another reads that same data object, there is not a conflict
 - If one transaction reads a data object, and another writes that same data object, there is a conflict
 - If one transaction writes a data object, and another writes that same data object, there is a conflict
- It's up to some *concurrency control* mechanism to allow interleaving, but keep the database / file consistent
 - Should allow high degree of concurrency
 - Should prevent intermediate values from being visible to other transactions

4

Spring 2000, Lecture 19

Issues in Transactions and Concurrency Control

- Centralized transactions
 - Concurrency control
 - Locking algorithms
 - Static locking
 - Two-phase locking (2PL)
 - Strict two-phase locking (strict 2PL)
 - Optimistic concurrency control
 - Timestamp ordering
 - Handling deadlock for locking algorithms
 - Deadlock detection
 - Deadlock prevention
 - Lock timeouts
 - Transaction timestamps
- Distributed transactions
 - Simple distributed vs. nested
 - Atomic commit protocols
 - One-phase
 - Two-phase

5

Spring 2000, Lecture 19

Concurrency Control Using Locks (Eswaran, Gray, Lorie, and Traiger, 1976)

- A *well-formed* transaction must:
 - Lock a data object before accessing it
 - Unlocks the data object before it completes (commit / abort)
 - Example:
lock B; read B; update B; unlock B
- Note that being well-formed is **not** sufficient to guarantee consistency
 - Well-formed doesn't say anything about **when** a transaction should lock / unlock
 - Lock sometime after transaction begins, but before object is accessed
 - Unlock after finished with object, but before transaction completes
 - Additional constraints are needed to specify when a lock can be acquired, and when it can be released
 - These constraints are expressed as *locking algorithms*

6

Spring 2000, Lecture 19

Static Locking

- A transaction acquires locks on **all** the data objects it needs (at a single point in time) before executing **any** action on the data objects
 - Usually when transaction begins
- After using the data objects, it releases **all** of its locks at once
 - Usually when transactions completes, else intermediate values will be visible
- Evaluation:
 - ✓ Simple, yet preserves consistency (intermediate values are not visible to other transactions)
 - ✗ Requires *a priori* knowledge of all the data objects to be accessed
 - ✗ Wasteful of resources, severely limits the concurrency of the transactions

7

Spring 2000, Lecture 19

Two-Phase Locking (2PL)

- A transaction acquires a lock when it needs to access a data object. If it releases the lock after that access, but before the transactions ends, data could become visible to other transactions
 - ➔ (Consistency constraint) A transaction cannot request a lock on any data object after it has unlocked a data object
- The algorithm has two phases:
 - *Growing phase* — transaction requests locks, but doesn't release any locks
 - The stage of a transaction when it holds locks on all the needed data objects is called the *lock point*
 - *Shrinking phase* — transaction releases locks, but doesn't request any more locks
- Increases concurrency over static locking because locks are held for less time

8

Spring 2000, Lecture 19

Two-Phase Locking (2PL) (cont.)

■ Problems with two-phase locking (2PL):

- Prone to *cascaded roll-back*
 - With 2PL, after the transaction has released some of its locks, yet before it has committed the transaction, those intermediate results become visible
 - When a transaction is rolled back, all modified data objects are restored
 - What if another transaction reads those intermediate results, and this transaction later aborts?
 - All transactions that have read these data objects must also be rolled back (even if they've already completed!) — this is called *cascaded roll-back*
- Prone to deadlock
 - A transaction can request a lock on a data object while holding locks on other data object, so a circular wait can result
 - Resolved (after detecting deadlock) by:
 - Abort deadlocked transaction, restore all modified data objects, release all its locks, and withdraw all pending lock requests

9

Spring 2000, Lecture 19

Improvements to Two-Phase Locking

■ Strict two-phase locking (strict 2PL)

- A transaction holds all its locks until it completes, when it commits and releases all of its locks in a single atomic action
 - Similar for an abort
- ✗ Reduces concurrency (transactions hold locks longer than in 2PL) — almost as bad as strict locking!
- ✗ Doesn't avoid deadlock
- ✓ Avoids cascaded roll-backs
- Most common locking algorithm

■ Improvements to these algorithms

- Two kinds of locks:
 - Read lock — other readers are permitted, writers are excluded
 - Write lock — exclusive access
- Reduce granularity where possible (more concurrency, also more locks)

10

Spring 2000, Lecture 19

Deadlock Detection / Prevention for Locking Algorithms

■ Deadlock detection

- Lock manager is responsible for detection
 - It looks for cycles in its WFG
 - If it finds a cycle, it must select and abort a transaction

■ Deadlock prevention

- Lock all items when transaction starts
 - Overly restrictive, reduces concurrency
 - May not be possible to predict accesses
- Request locks in predefined order
 - May cause premature locking, which reduces concurrency
- Lock timeouts (enables preemption)
 - Each lock is invulnerable for a limited period, and vulnerable afterwards
 - If a transaction wants to access a data object protected by a vulnerable lock, the lock is broken and the transaction holding it is aborted

11

Spring 2000, Lecture 19

Deadlock Detection / Prevention for Locking Algorithms (cont.)

■ Deadlock prevention (cont.)

- Transaction timestamps
 - Each transaction is assigned a unique timestamp when it starts (logical clock, using Lamport's algorithm)
 - If a transaction needs to access a data object that is locked by another transaction, the timestamps of the two transactions are compared
 - Older transaction (smaller timestamp) generally have priority
 - Wait-for edges are only allowed from older to younger, which prevents cycles
 - Wait-die: (aborts one)
 - If older transaction wants something held by younger transaction, it waits
 - If younger transaction wants something held by older transaction, it must die
 - Wound-wait: (preempts resource)
 - If older transaction wants something held by younger transaction, it preempts it
 - If younger transaction wants something held by older transaction, it waits

12

Spring 2000, Lecture 19

Optimistic Concurrency Control (Kung and Robinson, 1981)

- Disadvantages of locking:
 - High lock maintenance overhead
 - Even read-only queries must lock
 - Possible deadlock and cascading aborts
 - Deadlock prevention reduces concurrency
 - Holding locks until the end to prevent cascading aborts reduces concurrency
- Alternative — optimism
 - Likelihood of conflict is low, so just ignore the problem for the most part
 - Allow transactions to proceed as if there is no possibility of conflict
 - Use private workspaces
 - Validation before closing — if none of the data objects were modified by other transactions, then the transaction can commit, otherwise it aborts
 - No deadlock, no cascading aborts

13

Spring 2000, Lecture 19

Timestamp Ordering

- Each operation is validated when it is carried out
 - If it can not be validated, then the entire transaction is aborted
- Basic timestamp ordering algorithm:
 - Each transaction is assigned a unique timestamp when it starts (logical clock, using Lamport's algorithm)
 - A transaction's request to write a data item is valid only if that data item was last read and written by earlier transactions
 - A transaction's request to read a data item is valid only if that data item was last written by earlier transactions
 - If a transaction is aborted and restarts, it gets a new timestamp
 - No deadlock, no cascading aborts

14

Spring 2000, Lecture 19

Comments on the Various Concurrency Control Methods

- Pessimistic
 - Two-phase locking and timestamp ordering are both pessimistic — detect conflicts as each data item is accessed
 - Static vs. dynamic ordering
 - Timestamp ordering decides serialization order statically — when each transaction starts
 - Two-phase locking decides serialization order dynamically — according to the order in which the data items are accessed
- Effect of conflict:
 - Timestamp ordering aborts immediately
 - Two-phase locking makes transaction wait
 - Optimistic concurrency lets all transactions proceed, but later aborts some (possibly after long execution)

15

Spring 2000, Lecture 19