# What is an Operating System? (Review)

- An *operating system* (OS) is the interface between the user and the hardware
  - It implements a virtual machine that is easier to program than bare hardware
- An OS provides standard services (an interface) which are implemented on the hardware, including:
  - Processes, CPU scheduling, memory management, file system, networking
- The OS coordinates multiple applications and users (multiple processes) in a fair and efficient manner
- → The goal in OS development is to make the machine convenient to use (a software engineering problem) and efficient (a system and engineering problem)

Fall 1998, Lecture 02

## **History of Operating Systems (cont.)**

- Phase 1 hardware is expensive, humans are cheap
  - 3. Overlapped CPU & I/O operations
    - First: buffer slow I/O onto fast tape drives connected to CPU, replicate I/O devices
    - Later: *spool* data to disk
  - 4. Multiprogrammed batch systems
    - Multiple jobs are on the disk, waiting to run
    - Multiprogramming run <u>several</u> programs at the "same" time
      - Pick some jobs to run (scheduling), and put them in memory (memory management)
      - Run one job; when it waits on something (tape to be mounted, key to be pressed), switch to another job in memory
    - First big failures:
      - MULTICS announced in 1963, not released until 1969
      - IBM's OS/360 released with 1000 known bugs
    - OS design should be a science, not an art

#### **History of Operating Systems**

- Phase 0 hardware is a very expensive experiment; no operating systems exist
  - 1. One user at console
    - One function at a time (computation, I/O, user think/response)
    - Program loaded via card deck
      - Libraries of device drivers (for I/O)
    - User debugs at console
- Phase 1 hardware is expensive, humans are cheap
  - 2. Simple batch processing: load program, run, print results, dump, repeat
    - User gives program (cards or tape) to the operator, who schedules the jobs
    - Resident monitor automatically loads, runs, dumps user jobs
    - Requires memory management (relocation) and protection
    - More efficient use of hardware, but debugging is more difficult (from dumps)

Fall 1998, Lecture 02

#### **History of Operating Systems (cont.)**

- Phase 2 hardware is less expensive than before, humans are expensive
  - 5. Interactive timesharing
    - Lots of cheap terminals, one computer
      - All users interact with system at once
      - Debugging is much easier
    - Disks are cheap, so put programs and data online
      - 1 punch card = 100 bytes
      - -1MB = 10K cards
      - OS/360 was several feet of cards
    - New problems:
      - Need preemptive scheduling to maintain adequate response time
      - Need to avoid thrashing (swapping programs in and out of memory too often)
      - Need to provide adequate security measures
    - Success: UNIX developed at Bell Labs so a couple of computer nerds (Thompson, Ritchie) could play Star Trek on an unused PDP-7 minicomputer

Fall 1998, Lecture 02

Fall 1998, Lecture 02

#### **History of Operating Systems (cont.)**

- Phase 3 hardware is very cheap, humans are expensive
  - 6. Personal computing
    - CPUs are cheap enough to put one in each terminal, yet powerful enough to be useful
      - Computers for the masses!
    - Return to simplicity; make OS simpler by getting rid of support for multiprogramming, concurrency, and protection
- Modern operating systems are:
  - Enormous
    - Small OS = 100K lines of code
    - Big OS = 10M lines
  - Complex (100-1000 person year of work)
  - Poorly understood (outlives its creators, too large for one person to comprehend)

Fall 1998, Lecture 02

# Modern OS Functionality (Review)

- Concurrency
  - Multiple processes active at once
  - Processes can communicate
  - Processes may require mutuallyexclusive access to some resource
  - CPU scheduling, resource management
- Memory management allocate memory to processes, move processes between disk and memory
- File system allocate space for storage of programs and data on disk
- Networks and distributed computing allow computers to work together
- Security & protection

#### **History Lessons**

- None of these operating systems were particularly bad; each depended on tradeoffs made at that point in time
  - Technology changes drive OS changes
- Since 1953, there has been about 9 orders of magnitude of change in almost every computer system component
  - Unprecedented! In past 200 years, gone from horseback (10 mph) to Concorde (1000 mph), only 2 orders of magnitude
- Changes in "typical" academic computer:

	<u>1981</u>	<u> 1996</u>
MIPS	1	400
price / MIPS	\$100,000	\$50
memory	128 KByte	64 MByte
disk	10 MByte	4 GByte
network	9600 bit/sec	155 Mb/s
address bits	16	64

Fall 1998, Lecture 02

### **More Recent Developments**

- Parallel operating systems
  - Shared memory, shared clock
  - Large number of tightly-coupled processors
  - Appearance of single operating system
- Distributed operating systems
  - No shared memory, no shared clock
  - Small number of loosely-coupled processors
  - Appearance of single operating system is ideal goal, but not realized in practice
  - May try to simulate a shared memory
- Real-time operating systems
  - Meet hard / soft real-time constraints on processing of data

Fall 1998, Lecture 02 8 Fall 1998, Lecture 02