

Supercomputing

- Supercomputers have higher than average speed and capacity
- US government involvement
 - High Performance Computing and Communications Program (HPCC) — federal agencies, industry, academia
 - DOE Accelerated Strategic Computing Initiative (ASCI)
 - Los Alamos National Labs & clusters of SMPs
 - One program three labs (LANL, Lawrence Livermore NL, Oak Ridge NL)
- Grand Challenge problems (1993)
 - Magnetic recording technology, high speed civil transports, catalysts, ocean modeling, digital anatomy, air pollution, Venus imaging

1

Fall 2001, Lecture 02

Example Problem: Weather Prediction (in “Parallel Programming”, by Wilkinson)

- Atmosphere divided into 3D “cells”, computations involve temperature, pressure, humidity, wind speed and direction, etc., are computed at time intervals, using info from previous interval
- Some numbers:
 - Suppose cell = 1 mile³, atmosphere modeled to height of 10 miles, gives 5×10^8 cells
 - Suppose each calculation = 200 floating point operations, in one time step need 10^{11} fp ops
 - Suppose forecast weather over 10 days, at 10-minute intervals, would be 10^4 time steps and 10^{15} fp ops
 - Suppose computer runs at 100 Mflops (10^8 floating point operations per second), calcs would take 10^7 seconds = 100 days

2

Fall 2001, Lecture 02

Two Taxonomies for Classifying Computer Systems

- Michael Flynn (1966)
 - SISD — single instruction, single data
 - SIMD — single instruction, multiple data
 - MISD — multiple instruction, single data
 - MIMD — multiple instruction, multiple data

- More recent (Stallings, 1993)





FIGURE 16.16. Alternative Computer Organizations

3

Fall 2001, Lecture 02

Classification of MIMD Architectures



- Tightly coupled \approx *parallel processing*
 - Processors share clock and memory, run one OS, communicate frequently
- Loosely coupled \approx *distributed computing*
 - Each processor has its own memory, runs its own OS (?), communicates infrequently

4

Fall 2001, Lecture 02

MIMD vs. SIMD (Hord 2.2)

■ MIMD:

- Relatively few powerful processors
- Control level parallelism that assigns a processor to a unit of code
- Typically either distributed memory or shared memory; can have memory contention
- Needs good task scheduling for efficiency
- Each processor runs its own instruction sequence
- Each processor works on a different part of the problem
- Each processor communicates data to other parts
- Processors may have to wait for other processors or for access to data

MIMD vs. SIMD (Hord 2.2) (cont.)

■ SIMD:

- Many simple processors
- Data level parallelism that assigns a processor to a unit of data
- Typically distributed memory; can have data communication problems
- Needs good processor utilization for efficiency
- All processors are given the same instruction
- Each processor operates on different data
- Processors may “sit out” a sequence of instructions